

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	14	(OFDM with (spreading with factor))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/03/30 09:14
L2	508	(OFDM or (orthogonal with cod\$3)) same (spreading with factor)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/03/30 09:52
L3	2	2 and active same pilot near4 channel with slot	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/03/30 08:51
L4	15	2 and (pilot near4 channel) with slot	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/03/30 08:52
L5	10	4 and (DPCH or (dedicated near4 channel)) with slot	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/03/30 08:53
L6	25	2 and (CPICH or (pilot near4 channel)) with slot	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/03/30 09:52
L7	16	6 and (DPCH or (dedicated near4 channel)) with slot	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/03/30 08:59
L8	222	2 and (CPICH or (pilot near4 channel))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/03/30 09:06
L9	59	8 and (DPCH or (dedicated near4 channel)) with slot	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/03/30 08:59
L10	11	9 and power	USPAT; EPO; IBM_TDB	OR	ON	2005/03/30 09:04
L12	8	2 and (active with cod\$3) and (inactive with cod\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/03/30 09:06
L13	122	2 and (CPICH or (pilot with channel)) same ((dedicated with channel) or DPCH)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/03/30 09:07

L14	36	2 and (CPICH or (pilot with channel)) same ((dedicated with channel) or DPCH) same slot	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/03/30 09:07
L15	33	2 and power and (CPICH or (pilot with channel)) same ((dedicated with channel) or DPCH) same slot	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/03/30 09:07
L16	18	2 and power same (CPICH or (pilot with channel)) same ((dedicated with channel) or DPCH) same slot	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/03/30 09:10
L17	15	2 and ((CPICH or (pilot with channel)) with slot) same ((dedicated with channel) or DPCH) same slot	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/03/30 09:14
L18	858	(OFDM or (orthogonal with cod\$3)) and (spreading near4 factor)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/03/30 09:15
L19	45	18 and code with class	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/03/30 09:16
L20	8	19 and (CPICH or (pilot near4 channel)) same (DPCH or (dedicated with channel))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/03/30 09:20
L21	124	18 and power and (CPICH or (pilot near4 channel)) same (DPCH or (dedicated with channel))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/03/30 09:20
L22	35	18 and power and (CPICH or (pilot near4 channel)) same (DPCH or (dedicated with channel)) same slot	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/03/30 09:24
L23	8	18 and power and (CPICH or (pilot near4 channel)) with slot same (DPCH or (dedicated with channel)) with slot	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/03/30 09:30
L24	21	18 and (CPICH or (pilot near4 channel)) with slot and (DPCH or (dedicated with channel)) with slot	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/03/30 09:30
L25	4	18 and (CPICH or (pilot near4 channel)) with slot and (DPCH or (dedicated with channel)) with slot	USPAT; EPO; IBM_TDB	OR	ON	2005/03/30 09:31

L26	5	(spreading near4 factor) and (CPICH or (pilot near4 channel)) with slot and (DPCH or (dedicated with channel)) with slot	USPAT; EPO; IBM_TDB	OR	ON	2005/03/30 09:33
L27	5	(OFDM or CDMA) and (spreading near4 factor) and (CPICH or (pilot near4 channel)) with slot and (DPCH or (dedicated with channel)) with slot	USPAT; EPO; IBM_TDB	OR	ON	2005/03/30 09:35
L28	99	(OFDM or CDMA) and (spreading near4 factor) and power with slot	USPAT; EPO; IBM_TDB	OR	ON	2005/03/30 09:34
L29	53	(OFDM or CDMA) and (spreading near4 factor) and power same (pilot near4 channel) and (dedicated with channel)	USPAT; EPO; IBM_TDB	OR	ON	2005/03/30 09:35
L30	19	(OFDM or CDMA) and (spreading near4 factor) and power same (pilot near4 channel) same (dedicated with channel)	USPAT; EPO; IBM_TDB	OR	ON	2005/03/30 09:35
L31	15	(OFDM or CDMA) and (spreading near4 factor) and power same (pilot near4 channel) same (dedicated with channel) and (time near4 slot)	USPAT; EPO; IBM_TDB	OR	ON	2005/03/30 09:38
L32	3	(OFDM or CDMA) and (spreading near4 factor) same (pilot near4 channel) same (dedicated with channel) and (time near4 slot)	USPAT; EPO; IBM_TDB	OR	ON	2005/03/30 09:41
L33	1	(OFDM or CDMA) and differ\$6 with (spreading near4 factors) and (pilot near4 channel) with slot same (dedicated with channel) with slot	USPAT; EPO; IBM_TDB	OR	ON	2005/03/30 09:44
L35	3	(OFDM or (orthogonal with cod\$3)) and differ\$6 with (spreading near4 factors) and (pilot with channel) same (dedicated with channel) with slot	USPAT; EPO; IBM_TDB	OR	ON	2005/03/30 09:44
L36	344	(OFDM or (orthogonal with cod\$3)) and (spreading with factor)	USPAT; EPO; IBM_TDB	OR	ON	2005/03/30 10:11
L38	3	36 and active same (CPICH or (pilot near4 channel))	USPAT; EPO; IBM_TDB	OR	ON	2005/03/30 09:59
L41	15	36 and (("not" near4 active) or inactive) and (CPICH or (pilot near4 channel))	USPAT; EPO; IBM_TDB	OR	ON	2005/03/30 10:17

L42	15	36 and active and (("not" near4 active) or inactive) and (CPICH or (pilot near4 channel))	USPAT; EPO; IBM_TDB	OR	ON	2005/03/30 09:59
L43	2	36 and active same (("not" near4 active) or inactive) and (CPICH or (pilot near4 channel))	USPAT; EPO; IBM_TDB	OR	ON	2005/03/30 10:00
L44	1	36 and active with cod\$3 and (("not" near4 active) or inactive) with cod\$3 and (CPICH or (pilot near4 channel))	USPAT; EPO; IBM_TDB	OR	ON	2005/03/30 10:01
L45	1	36 and active with orthogonal and (("not" near4 active) or inactive) with orthogonal and (CPICH or (pilot near4 channel))	USPAT; EPO; IBM_TDB	OR	ON	2005/03/30 10:11
L46	604	(OFDM or (orthogonal with cod\$3) or CDMA) and (spreading with factor)	USPAT; EPO; IBM_TDB	OR	ON	2005/03/30 10:11
L47	1	46 and active with orthogonal and (("not" near4 active) or inactive) with orthogonal and (CPICH or (pilot near4 channel))	USPAT; EPO; IBM_TDB	OR	ON	2005/03/30 10:11
L48	1	46 and active with orthogonal same (("not" near4 active) or inactive) with orthogonal and (CPICH or (pilot near4 channel))	USPAT; EPO; IBM_TDB	OR	ON	2005/03/30 10:11
L49	1	46 and power and active with orthogonal same (("not" near4 active) or inactive) with orthogonal and (CPICH or (pilot near4 channel))	USPAT; EPO; IBM_TDB	OR	ON	2005/03/30 10:13
L53	8	46 and active with orthogonal and (CPICH or (pilot near4 channel))	USPAT; EPO; IBM_TDB	OR	ON	2005/03/30 10:13
L54	1	46 and active with orthogonal and (CPICH or (pilot near4 channel)) same power	USPAT; EPO; IBM_TDB	OR	ON	2005/03/30 10:13
L55	8	46 and active with orthogonal and (CPICH or (pilot near4 channel)) and power	USPAT; EPO; IBM_TDB	OR	ON	2005/03/30 10:14
L56	1	55 and (("not" near4 active) or inactive) with orthogonal	USPAT; EPO; IBM_TDB	OR	ON	2005/03/30 10:14
L57	8	46 and active with orthogonal and (CPICH or (pilot near4 channel)) and (power or slot)	USPAT; EPO; IBM_TDB	OR	ON	2005/03/30 10:15
L59	6	46 and active with orthogonal and (CPICH or (pilot near4 channel)) and power and slot	USPAT; EPO; IBM_TDB	OR	ON	2005/03/30 10:15

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	31	"375"/\$.ccls. and (orthogonal near4 cod\$3) same (spreading near4 factor)	USPAT	OR	OFF	2005/03/30 11:57
L2	26	"375"/\$.ccls. and (orthogonal near4 cod\$3) same (spreading near4 factor) and power	USPAT	OR	OFF	2005/03/30 11:57
L3	8	"375"/\$.ccls. and (orthogonal near4 cod\$3) same (spreading near4 factor) and power and slot and (pilot near4 channel)	USPAT	OR	OFF	2005/03/30 12:00